

# Package: prithulib (via r-universe)

July 2, 2026

**Type** Package

**Title** Perform Random Experiments

**Version** 1.0.2

**Author** Prithul Chaturvedi <prithulc@gmail.com>

**Maintainer** Prithul Chaturvedi <prithulc@gmail.com>

**Description** Enables user to perform the following: 1. Roll 'n' number of die/dice (roll()). 2. Toss 'n' number of coin(s) (toss()). 3. Play the game of Rock, Paper, Scissors. 4. Choose 'n' number of card(s) from a pack of 52 playing cards (Joker optional).

**License** GPL

**Encoding** UTF-8

**LazyData** true

**RoxygenNote** 6.1.1

**NeedsCompilation** no

**Repository** <https://prithulc.r-universe.dev>

**Date/Publication** 2019-01-11 16:30:03 UTC

**RemoteUrl** <https://github.com/cran/prithulib>

**RemoteRef** HEAD

**RemoteSha** 74d89e99deeb13b7cb2745cce7f3f1238a7f1a6a

## Contents

cards . . . . .	2
roll . . . . .	2
rpc . . . . .	3
toss . . . . .	4

<b>Index</b>	<b>5</b>
--------------	----------

---

cards                      *Choosing a card*

---

**Description**

An event of choosing a card from a pack of 52 cards (Joker optional)

**Usage**

```
cards(n, joker = FALSE)
```

**Arguments**

n                      is the number of cards to be chosen (default 1)  
joker                  TRUE includes the Joker card in the deck (default FALSE)

**Value**

The chosen card(s)

**Author(s)**

Prithul Chaturvedi

**Examples**

```
cards(3, joker = TRUE)
```

---

roll                      *Rolling an unbiased die*

---

**Description**

Rolls a die for 'n' number of times

**Usage**

```
roll(n = 1, size = 6)
```

**Arguments**

n                      is the number of times to roll the die (default 1)  
size                   is the number of faces on the die (default 6)

*rpc*

3

**Value**

Outcome(s) of rolling of the die

**Author(s)**

Prithul Chaturvedi

**Examples**

`roll(2,10)`

---

*rpc*

*Rock, Paper, Scissors*

---

**Description**

Play Rock, Paper, Scissors

**Usage**

`rpc()`

**Value**

A move

**Author(s)**

Prithul Chaturvedi

**Examples**

`rpc()`

---

toss

*Tossing an unbiased coin*

---

**Description**

Tosses a coin for 'n' number of times

**Usage**

```
toss(n = 1)
```

**Arguments**

n is the number of times the coin is tossed (default 1)

**Value**

Outcome(s) of tossing the coin

**Author(s)**

Prithul Chaturvedi

**Examples**

```
toss(3)
```

# Index

cards, [2](#)

roll, [2](#)

rpc, [3](#)

toss, [4](#)